

VITAMINS, AMINO ACIDS, MINERALS AND OTHER FEED ADDITIVES

Oral

| Presentation | Composition | Target species | Dosage / Administration via |
|---|---|----------------|--|
| AMICEN'S SOLUCION Complementary feed Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: <u>Vitamins:</u> Vitamin A 650 IU, Vitamin D3 200 IU, Vitamin E 4 mg, Vitamin B1 3 mg, Vitamin B2 4 mg, Vitamin B6 2 mg, Vitamin B12 10 µg, Niacinamide 10 mg, D-panthenol 5 mg, Ascorbic acid 2.5 mg, Vitamin K3 2 mg, Folic acid 1 mg. <u>Aminoacids:</u> L-Lysine 20 mg, DL-methionine 11 mg, Glycine 15 mg, L-arginine 5 mg. Protein hydrolyzed from vegetal origin 75 g (with a minimum of 77% of aminoacids). Sodium chloride 9 mg. | | Poultry, fattening bovine, milking calves, fattening pigs, fattening lambs, fattening rabbits: 1 ml / 1L of drinking water. Oral via in the water or feed. |
| AMICEN'S SOLUCION PLUS Complementary feed Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: <u>Vitamins:</u> Vitamin A 20000 IU, Vitamin D3 5000 IU, Vitamin B1 3 mg, Vitamin B2 4mg, Vitamin B6 2mg, Vitamin B12 10 µg, Vitamin E 9 mg, D-panthenol 5 mg, Vitamin C 2.5 mg, Folic acid 1 mg, Niacinamide 10 mg, Vitamin K3 2 mg. <u>Aminoacids:</u> L-lysine 20 mg, DL-methionine 11 mg, Glycine 15 mg, L-arginine 5 mg. Protein hydrolyzed from vegetal origin 75 g (with a minimum of 77% of aminoacids). | | Poultry, fattening bovine, fattening lambs, fattening rabbits: 1 ml per each 10 liters of water or 10 kg of feed. Calves: 1 ml per each 15 L of water or 15 kg of feed. Oral via in the water or feed. |
| CENSOVIT AD3E+C Hydrosoluble Oral Solution Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: <u>Vitamins:</u> Vitamin A 10000 IU., Vitamin D3 20000 IU, Vitamin E 40 mg, Vitamin C 100 mg, Carrier q.s.1 ml. | | Pigs: 0,1 ml per 10 L of drinking water. Bovine: 0,2 ml per 10 L of drinking water. Ovine: 0,3 ml per 10 L of drinking water. Poultry: 0,3 ml per L of drinking water. Calves: 0,2 ml per 10 L of drinking water. Horses: 0,2 ml per 10 L of drinking water. Oral via in the water or feed. |
| HEPATOGEN Hydrosoluble Oral Solution Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: Vitamin B1 2,5 mg, Vitamin B2 5,5 mg, Vitamin B6 3.5 mg, Cyanocobalamin 15 mg, Pantothenic acid 8 mg, Nicotinamide 8 mg, Methionine 10 mg, Sorbitol 250 mg, 1,2 propanediol 250 mg. | | 1-2 ml/L of drinking water. Oral via in the drinking water. |
| LIVERPROTEC Complementary feed Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: <u>Vitamins:</u> Choline Chloride 70 mg, Betaine 60 mg <u>Aminoacids:</u> L-Lysine 20 mg, DL-Methionine 11.50 mg, Taurine 12.50 mg. Sorbitol 350 mg, Glycerin 10 mg, Artichoke extract 10 mg. | | Ovine and caprine: 15 ml per day. Equine and bovine: 5 ml per day. Poultry and rabbits: 1 ml/L of water. The treatment must be applied during 3-5 consecutive days. Oral via in the drinking water. |
| SALHIDRA SOLUCION Complementary feed Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: Dextrose, Sodium chloride, Monopotassium phosphate, Potassium Citrate, Citric Acid 8 mg, Flavouring mixture: 10 mg (Carbohydrates 50%, Potassium 1.25%, Sodium 2.4%, Chlorides 3.64%, Citrates 0.11%). | | Administer at a rate of 10 ml to 50 ml of SALHIDRA SOLUTION per liter of water depending on the degree of dehydration. Recommended period of use, from 1 to 7 days. Oral via in the drinking water. |
| SELGEN-E SOLUCION Vitaminic Premixture for Animal Feeding Bottles containing 1 and 5 L. No veterinary prescription | Composition per ml: Vitamin E 25 mg, Selenium 1.1 mg. | | Yield stimulant, growth improver: 1 ml per each 3 L of water. Egg drop: 1 ml per each 3 L of water, 2 days a week Selenium deficiency states: 1 ml per each 3 L of water 2 days per week. In severe cases, 2 ml per each 3 L of water 3-5 days. Oral via in water or feed. |
| VITAMINAS TT + ELECTROLITOS Complementary feed Bottles containing 1 and 5 L. No veterinary prescription | Composition per 1 kg: <u>Vitamins:</u> Vitamin A 6.500.000 IU, Vitamin D3 1.000.000 IU, Niacin 45g, D-calcium pantothenate 15g, Vitamin B2 9.6g, Vitamin K3 9.6g, Vitamin E 5.4g, Vitamin B6 5.4g, Vitamin C 3g, Vitamin B12 27 mg. <u>Compounds of trace elements:</u> Manganous sulphate monohydrate 10.7g, Iron (II) sulphate monohydrate 4.3g, Zinc sulphate monohydrate 3.3g. Lactose, sodium chloride 150 mg, calcium lactate 27.2, magnesium sulphate anhydrous, potassium chloride 0.6 mg. | | Poultry: 2 g / L of water or Kg of feed. Calves: 2 g / L of water or milk replacer or 10 Kg of feed. Fattening cattle: 1 g /10 L of water or 10 Kg of feed. Pigs: 0.5 g / 10 liters of water or 10 Kg of feed. Sheep and goats: 2 g / 10 L of water or 10 Kg of feed. Oral via in the drinking water. |