

Marbocen 100 mg/ml

Marbofloxacin

Injectable solution for cattle and pigs

- *Respiratory complex*
- *Mastitis*
- *MMA Syndrome*



WITHDRAWAL PERIODS

Cattle: 8 mg/kg in single injection (IM): Meat and offal: 3 days.

Milk: 72 hours 2 mg/kg daily for 3 to 5 days (IV/SC/IM): Meat and offal: 6 days. Milk: 36 hours

Pigs (sows): Meat and offal: 4 days.



Marbocen *100 mg/ml*

Marbofloxacin

COMPOSITION:

Each ml contains:

Active substance:

Marbofloxacin 100,0 mg

Other excipients, q.s.

TARGET SPECIES:

Cattle and pigs (sows).

INDICATIONS:

Cattle:

- Treatment of respiratory infections caused by strains of *Histophilus somni*, *Mannheimia haemolytica*, *Mycoplasma bovis* and *Pasteurella multocida* susceptible to marbofloxacin.
- Treatment of acute mastitis caused by strains of *Escherichia coli* susceptible to marbofloxacin during the lactation period.

Pigs:

- Treatment of Postpartum Dysgalactia Syndrome –PDS- (Metritis Mastitis Agalactia Syndrome), caused by bacterial strains susceptible to marbofloxacin.

POSLOGY AND ADMINISTRATION VIA

Cattle:

Respiratory infections: 2 ml product/25 kg BW in a single injection by intramuscular route. If the volume to be injected is more than 20 ml, it should be divided between two or more injection sites. In cases of respiratory infections caused by *Mycoplasma bovis*: 1 ml product/50 kg BW, in a single daily injection for 3 to 5 consecutive days, by Intramuscular or subcutaneous route. The first injection may be given by the intravenous route.

Acute mastitis: 1 ml product/50 kg BW in a single daily injection for 3 consecutive days by intramuscular or subcutaneous route. The first injection may also be given by the intravenous route.

Pig (sow):

Intramuscular route: 1 ml product/50 kg body weight in a single daily injection for 3 consecutive days.

In cattle and pig, the preferred injection site is the neck area.

WITHDRAWAL PERIOD:

Cattle: 8 mg/kg in single injection (IM): Meat and offal: 3 days. Milk: 72 hours 2 mg/kg daily for 3 to 5 days (IV/SC/IM): Meat and offal: 6 days. Milk: 36 hours

Pigs (sows): Meat and offal: 4 days.

PRESENTATION:

Vials of 100 ml and 250 ml.

VETERINARY USE



C. Dels Boters, s/n. • Pol. Ind. Mas Ferrer • 43205 REUS (SPAIN) • Tel. 34 977 757 273 • info.export@cenavisa.com

cenavisa.com